

Package: ugomquantreg (via r-universe)

September 2, 2024

Type Package

Title Quantile Regression Modeling for Unit-Gompertz Responses

Version 1.0.0

Date 2021-06-24

Author Josmar Mazucheli [aut, cre], Bruna Alves [ctb]

Maintainer Josmar Mazucheli <jmazucheli@gmail.com>

Description Unit-Gompertz density, cumulative distribution, quantile functions and random deviate generation of the unit-Gompertz distribution. In addition, there are a function for fitting the Generalized Additive Models for Location, Scale and Shape.

License MIT + file LICENSE

Encoding UTF-8

ByteCompile yes

LazyData true

LinkingTo Rcpp

Imports Rcpp, stats, gamlss, gamlss.dist, pracma

Suggests testthat (>= 3.0.0)

Depends R (>= 3.6)

RoxygenNote 7.1.1

NeedsCompilation yes

Date/Publication 2021-06-28 06:40:02 UTC

Repository <https://jmazucheli.r-universe.dev>

RemoteUrl <https://github.com/cran/ugomquantreg>

RemoteRef HEAD

RemoteSha 819888fcee801c3f1b24b25fda45d72f91ff1009

Contents

ugomquantreg-package	2
ammonia	2
bodyfat	4
UGOM	5
Index	8

ugomquantreg-package *Overview of the ugomquantreg package*

Description

The **ugomquantreg** package implements the probability density function, quantile function, cumulative distribution function and random number generation function for unit-Gompertz distribution parameterized as a function of its τ -th quantile, $0 < \tau < 1$. Some function are written in C++ using **Rcpp**.

Details

ammonia: Ammonia oxidized to acid nitric data set.

bodyfat: Body fat data set.

UGOM: For quantile modeling (con/in)ditional on covariate(s).

Author(s)

Josmar Mazucheli <jmazucheli@gmail.com>

Bruna Alves <pg402900@uem.br>

ammonia *Ammonia oxidized to acid nitric data set*

Description

The data come from experiments with a plant where ammonia is oxidized to acid nitric.

Usage

```
data(ammonia, package = "ugomquantreg")
```

Format

A data-frame with 21 observations and 4 columns:

- stackloss: the percentage of ammonia lost.
- airflow: the air flow to the plant.
- watertemp: the cooling water inlet temperature.
- acidconc: the acid concentration.

Author(s)

Josmar Mazucheli <jmazucheli@gmail.com>

Bruna Alves <pg402900@uem.br>

Source

<https://support.sas.com/rnd/app/stat/examples/BayesQuantile/quantile.htm>

References

Brownlee, K. A., (1965). *Statistical Theory and Methodology in Science and Engineering*. New York: John Wiley & Sons.

Yu, K., and Moyeed, R. A., (2001). Bayesian quantile regression. *Statistics and Probability Letters*, **54**(4) 437–447.

Examples

```
data(ammonia, package = "ugomquantreg")

library(gamlss)

tau <- 0.50
fit.logit <- gamlss(stackloss ~ airflow + watertemp + acidconc, data = ammonia,
family = UGOM(sigma.link="identity"))

tau <- 0.50
fit.probit <- gamlss(stackloss ~ airflow + watertemp + acidconc,
data = ammonia, family = UGOM(mu.link = "probit", sigma.link = "log"))

fittaus <- lapply(c(0.10, 0.25, 0.50, 0.75, 0.90), function(Tau){
  tau <- Tau;
  gamlss(stackloss ~ airflow + watertemp + acidconc, data = ammonia,
family = UGOM(mu.link = "logit", sigma.link = "log"))
})

sapply(fittaus, coef)
```

bodyfat

Percentage of body fat data set

Description

The body fat percentage of individuals assisted in a public hospital in Curitiba, Paraná, Brazil.

Usage

```
data(bodyfat, package = "ugomquantreg")
```

Format

A data-frame with 298 observations and 9 columns:

- ARMS: arms fat percentage.
- LEGS: legs fat percentage.
- BODY: body fat percentage.
- ANDROID: android fat percentage.
- GYNECOID: gynecoid fat percentage.
- AGE: age of individuals.
- BMI: body mass index.
- SEX: 1 for female, 2 for male.
- IPAQ: 0 for IPAQ = sedentary, 1 for IPAQ = insufficiently active and 2 for IPAQ = active.

Author(s)

Josmar Mazucheli <jmazucheli@gmail.com>

Bruna Alves <pg402900@uem.br>

Source

<http://www.leg.ufpr.br/doku.php/publications:papercompanions:multquasibeta>

References

Mazucheli, J., Leiva, V., Alves, B., and Menezes A. F. B., (2021). A new quantile regression for modeling bounded data under a unit Birnbaum-Saunders distribution with applications in medicine and politics. *Symmetry*, **13**(4) 1–21.

Petterle, R. R., Bonat, W. H., Scarpin, C. T., Jonasson, T., and Borba, V. Z. C., (2020). Multivariate quasi-beta regression models for continuous bounded data. *The International Journal of Biostatistics*, 1–15, (preprint).

Examples

```

data(bodyfat, package = "ugomquantreg")

library(gamlss)

tau <- 0.50
fit.logit <- gamlss(ARMS ~ AGE + I(BMI / 100) + as.factor(SEX) + as.factor(IPAQ),
  data = bodyfat, family = UGOM(mu.link = "logit", sigma.link = "log"))

tau <- 0.50;
fit.probit <- gamlss(ARMS ~ AGE + I(BMI / 100) + as.factor(SEX) + as.factor(IPAQ),
  data = bodyfat, family = UGOM(mu.link = "probit", sigma.link = "log"))

```

 UGOM

The unit-Gompertz distribution - quantile parameterization

Description

The function UGOM() define the unit-Gompertz distribution for a gamlss.family object to be used in GAMLSS fitting. UGOM() has the τ -th quantile equal to the parameter mu and sigma as the shape parameter. The functions dUGOM, pUGOM, qUGOM and rUGOM define the density, distribution function, quantile function and random generation for unit-Gompertz distribution.

Usage

```

dUGOM(x, mu, sigma, tau = 0.5, log = FALSE)

pUGOM(q, mu, sigma, tau = 0.5, lower.tail = TRUE, log.p = FALSE)

qUGOM(p, mu, sigma, tau = 0.5, lower.tail = TRUE, log.p = FALSE)

rUGOM(n, mu, sigma, tau = 0.5)

UGOM(mu.link = "logit", sigma.link = "log")

```

Arguments

x, q	vector of quantiles on the (0,1) interval.
mu	vector of quantile parameter values.
sigma	vector of shape parameter values.
tau	the τ -th fixed quantile in [d-p-q-r]-UGOM function.
log, log.p	logical; If TRUE, probabilities p are given as log(p).
lower.tail	logical; If TRUE, (default), $P(X \leq x)$ are returned, otherwise $P(X > x)$.
p	vector of probabilities.

n	the number of observations. If <code>length(n) > 1</code> , the length is taken to be the number required.
<code>mu.link</code>	the mu link function with default logit.
<code>sigma.link</code>	the sigma link function with default logit.

Details

Probability density function

$$f(x | \mu, \sigma, \tau) = \left(\frac{\log(\tau)}{1 - \mu^{-\sigma}} \right) \sigma x^{-(1+\sigma)} \exp \left[\left(\frac{\log(\tau)}{1 - \mu^{-\sigma}} \right) (1 - x^{-\sigma}) \right]$$

Cumulative distribution function

$$F(x | \mu, \sigma, \tau) = \exp \left[\left(\frac{\log(\tau)}{1 - \mu^{-\sigma}} \right) (1 - x^{-\sigma}) \right]$$

Mean

$$E(X) = \left(\frac{\log(\tau)}{1 - \mu^{-\sigma}} \right)^{\frac{1}{\sigma}} \exp \left(\frac{\log(\tau)}{1 - \mu^{-\sigma}} \right) \Gamma \left(\frac{\sigma - 1}{\sigma}, \frac{\log(\tau)}{1 - \mu^{-\sigma}} \right)$$

where $0 < (x, \mu) < 1$, μ is, for a fixed and known value of τ , the τ -th quantile, σ is the shape parameter and $\Gamma(a, b)$ is the upper incomplete gamma function.

Value

`UGOM()` return a `gamlss.family` object which can be used to fit a unit-Gompertz distribution by `gamlss()` function.

Note

Note that for `UGOM()`, `mu` is the τ -th quantile and `sigma` a shape parameter. The `gamlss` function is used for parameters estimation.

Author(s)

Josmar Mazucheli <jmazucheli@gmail.com>

Bruna Alves <pg402900@uem.br>

References

- Hastie, T. J. and Tibshirani, R. J. (1990). *Generalized Additive Models*. Chapman and Hall, London.
- Mazucheli, J., Alve, B. (2021). The Unit-Gompertz quantile regression model for bounded responses. *preprint*, **0**(0), 1-20.
- Mazucheli, J., Menezes, A. F. and Dey S. (2019). Unit-Gompertz distribution with applications. *Statistica*, **79**(1), 25–43.
- Rigby, R. A. and Stasinopoulos, D. M. (2005). Generalized additive models for location, scale and shape (with discussion). *Applied. Statistics*, **54**(3), 507–554.

Rigby, R. A., Stasinopoulos, D. M., Heller, G. Z. and De Bastiani, F. (2019). *Distributions for modeling location, scale, and shape: Using GAMLSS in R*. Chapman and Hall/CRC.

Stasinopoulos, D. M. and Rigby, R. A. (2007) Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, **23**(7), 1–45.

Stasinopoulos, D. M., Rigby, R. A., Heller, G., Voudouris, V. and De Bastiani F. (2017) *Flexible Regression and Smoothing: Using GAMLSS in R*, Chapman and Hall/CRC.

Examples

```
set.seed(123)
x <- rUGOM(n = 1000, mu = 0.50, sigma = 1.69, tau = 0.50)
R <- range(x)
S <- seq(from = R[1], to = R[2], length.out = 1000)

hist(x, prob = TRUE, main = 'unit-Gompertz')
lines(S, dUGOM(x = S, mu = 0.50, sigma = 1.69, tau = 0.50), col = 2)

plot(ecdf(x))
lines(S, pUGOM(q = S, mu = 0.50, sigma = 1.69, tau = 0.50), col = 2)

plot(quantile(x, probs = S), type = "l")
lines(qUGOM(p = S, mu = 0.50, sigma = 1.69, tau = 0.50), col = 2)

library(gamlss)
set.seed(123)
data <- data.frame(y = rUGOM(n = 100, mu = 0.5, sigma = 2.0, tau = 0.5))

tau <- 0.50
fit <- gamlss(y ~ 1, data = data, family = UGOM)

set.seed(123)
n <- 100
x <- rbinom(n, size = 1, prob = 0.5)
eta <- 0.5 + 1 * x;
mu <- 1 / (1 + exp(-eta));
sigma <- 1.5;
y <- rUGOM(n, mu, sigma, tau = 0.5)
data <- data.frame(y, x)

tau <- 0.50
fit <- gamlss(y ~ x, data = data, family = UGOM(mu.link = "logit", sigma.link = "log"))
```

Index

* datasets

ammonia, [2](#)

bodyfat, [4](#)

ammonia, [2](#), [2](#)

bodyfat, [2](#), [4](#)

dUGOM (UGOM), [5](#)

gamlss, [6](#)

pUGOM (UGOM), [5](#)

qUGOM (UGOM), [5](#)

rUGOM (UGOM), [5](#)

UGOM, [2](#), [5](#)

ugomquantreg-package, [2](#)